

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 1 082 986 A1

(12)

EUROPEAN PATENT APPLICATION

published in accordance with Art. 158(3) EPC

(43) Date of publication:
14.03.2001 Bulletin 2001/11

(51) Int. Cl.⁷: **A63H 37/00**

(21) Application number: **00914021.1**

(86) International application number:
PCT/CN00/00070

(22) Date of filing: **31.03.2000**

(87) International publication number:
WO 00/59597 (12.10.2000 Gazette 2000/41)

(84) Designated Contracting States:
**AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU
MC NL PT SE**

(30) Priority: **02.04.1999 CN 99207097
29.09.1999 CN 99246095
29.09.1999 CN 99246092
30.03.2000 CN 00231782**

(71) Applicant: **Song, Youzhou
Daqing City, Heilongjiang Province 163712 (CN)**

(72) Inventor: **Song, Youzhou
Daqing City, Heilongjiang Province 163712 (CN)**

(74) Representative:
**Chaillot, Geneviève
Cabinet CHAILLOT,
16-20, avenue de L'Agent Sarre,
B.P. 74
92703 Colombes Cédex (FR)**

(54) CONFETTI PROJECTOR

(57) A confetti projector comprises a confetti-filled tube (1) and a pressurized air cylinder (2). Said cylinder (2) has only one passage as air's inlet and outlet. When a user rotates the tube (1) relatively to the cylinder (2) to a certain position, high-pressure air flows through the passage and into the tube (1), and the confetti is suddenly projected into the air.




Figure 1

EP 1 082 986 A1

Description

FIELD OF THE INVENTION

[0001] The present invention relates to a confetti projector, and more particularly a confetti air projector.

BACKGROUND OF THE INVENTION

[0002] During grand celebrations, the Chinese people are accustomed to create a joyous atmosphere by setting off fireworks and firecrackers. However, setting off fireworks and firecrackers will cause great potential dangers not only to injure people but also to cause fire, so this kind of celebration method has been forbidden in some large and middle-sized cities of China. Therefore there is a need to find a succedaneum for fireworks and firecrackers.

[0003] A new Chinese utility model patent of Patent Code ZL98209379.9 has disclosed a type of confetti projector which could project kinds of colorful ribbons and colorful flakes into the air and produce a colorful confetti so as to create a joyous atmosphere. This projector greatly improves the safety, but it still uses powder to project, so it may still possibly cause some dangers. In addition, it will produce air pollution and will be unsuitable for indoor projection.

[0004] Another new Chinese utility model patent of Patent Code ZL98232161.9 has disclosed another confetti projector. It projects the confetti using pressurized air. Thus this projector improves safety greatly and produces no air pollution so that could be used both indoors and outdoors without any safety care. The gas storage container of this projector has two passages respectively as air's inlet and outlet. The lower passage is used as air's inlet and the upper one is used as outlet. This projector may have the problem of leakage, so its storage life could not be very long. Meanwhile, its structure is complicated and it costs more.

[0005] The objective of this new practical invention is to provide a new type of confetti projector, which has little leakage, a long storage life and a simple structure.

SUMMARY OF THE INVENTION

[0006] The above mentioned objective is achieved by the following technical plan : the confetti projector has a confetti tube and a pressurized air cylinder. The confetti tube is filled with the articles used for forming confetti, and the air cylinder contains compressed air. There are a pair of L-form block notches outside of the cylinder opening. A press-slice blocks in the bottoms of the L-form block notches and presses upon the seal plug. There is a hole for air-inlet on the press slice. Outside of the above cylinder opening there is a tunable tube pusher which could push the press slice to turn. The above described tube pusher is connected to the confetti tube.

[0007] In the above plan, the press slice and tube pusher could be as the following structures : the central part of the press slice is round, and on both sides of the press slice there is respectively an "ear" part. The end of the "ear" part stretches out of the bottom of the L-form block notch. The described hole for air inlet lies in the middle of the press slice. There is respectively a longitudinal poker at either sides of each "ear" part end. Every poker is formed by the central part of the side wall of the tube pusher being turned over into the inside of the tube.

[0008] As a modification to the above plan, one "ear" part of the press slice could be linked to the inner wall of the confetti tube by an elastic linking string.

[0009] When the confetti projector is used, the above described confetti tube is made to rotate relatively to the air cylinder so that the so-called pusher could push the press slice to rotate. When the press slice rotates to the position of the vertical part of the L-form block notch, the pressure on the upper side of the slice suddenly vanishes, then the seal plug, the press slice and the articles in the confetti tube are projected by the compressed air in the air cylinder. Thus, the articles for confetti produce a colorful effect. The air inlet hole on the press slice is used to inlet the pressurized air into the air cylinder, so there is only one passage used as air inlet and outlet, which simplifies the structure and reduce the cost. Meanwhile, because there is only one passage, the leakage will be much less and the storage life will be greatly prolonged. The elastic linking string which links the press slice and the confetti tube could draw the ejected press slice back so as to prevent it from hurting people and to reuse it as well.

DETAILED DESCRIPTION OF THE INVENTION

[0010] This new patent will be further illustrated combined with the drawings and embodiments as followings :

- Figure 1 shows the full perspective view of the confetti air projector based on this new patent ;
- Figure 2 represents the A-A cross sectional view of Figure 1 ;
- Figure 3 presents the enlarged three-dimensional view of the cylinder opening of this confetti air projector ;
- Figure 4 shows the magnified three-dimensional view of the tube pusher in this new confetti air projector ;
- Figure 5 illustrates the spread view of one kind of confetti rolls in this new confetti air projector ;
- Figure 6 shows the spread view of another type of

confetti rolls in this new confetti air projector ;

- Figure 7 represents the spread view of a third type of confetti rolls in this new confetti air projector ;
- Figure 8 presents the schematic view of a type of colorful pentagram paper pieces in this new confetti air projector ;
- Figure 9 shows the schematic view of a colorful paper piece with a plum blossom shape in this new confetti air projector ;
- Figure 10 describes the schematic view of a colorful parachute made of membrane in this new confetti air projector.

[0011] As shown in Figures 1 and 2, the confetti air projector of this patent has a confetti tube 1 and an air cylinder 2. The confetti tube is filled with the articles for confetti 11, and the air cylinder 2 is full of pressurized air. Outside of the air cylinder 2, there is a decorative tube 8.

[0012] There are a pair of L-form block notches 21 outside of the cylinder 2 opening. The detailed shape of the block notch is shown in Figure 3. A press slice 3 blocks into the bottoms of the L-form block notches 21 and presses upon the seal plug 4. The central part 31 of the press slice 3 is round, and on both sides of the press slice there is respectively an "ear" part 32, 33. The end of each "ear" part 32, 33 stretches out of the bottom of the L-form block notch 21. There is a hole as air inlet 34 in the middle of press slice 3. As shown in Figure 4, on the outside of the above described cylinder opening there is a tunable tube pusher 5 which could be used for pushing the press slice 3 to turn. There is respectively a longitudinal poker 51 at either side of each "ear" part end. Each poker is formed by the central part of the side wall of the tube pusher being turned over into the inside of the tube. The above described tube pusher 5 is connected to the confetti tube 1. There is a linking hole 35 on each "ear" part 32 of the press slice 3. One end of an elastic linking string 6 is connected to the press slice 3 through the linking hole 35, while the other end is clipped between the tube pusher 5 and the confetti tube 1.

[0013] The confetti tube 1 could be filled with the required articles 11 used for producing confetti. The common articles are colorful paper pieces, colorful paper rings and confetti rolls. Among them, the confetti rolls could be colorful plastic film rolls as shown in Figure 5 or 6. When this kind of plastic film rolls spread out in the air, their edges appear in saw-tooth form, which is more novel than common confetti forms. The plastic film roll could also be in the shape as shown in Figure 7. It looks like continual flags when it spreads. The colorful paper pieces could be in the pentagram and plum blossom shapes as shown in Figure 8 and 9, as well as

other shapes such as pigeon form, heart and the shapes of the Chinese characters

“吉”, “福” and “喜”.

The confetti tube could also be filled with colorful membrane parachute as shown in Figure 10. The parachute comprises a cap 74, strings 73, a pendant 72, a scroll 71, a rope 75 and an auxiliary pendant 76. Among them, the weight ratio of the cap to pendants is about 5 : 7, and the purpose of the auxiliary pendant is to make the parachute spread out completely.

[0014] It should be pointed out that any common skilled people in this field may make various modifications and changes on this type of apparatus without departing from the scope of the patent as defined in the following claims.

Claims

1. A confetti air projector which comprises a confetti tube filled with articles for producing confetti and an air cylinder full of pressurized air, wherein the air cylinder is an air storage cylinder, and there are a pair of L-form block notches outside of the cylinder opening, while a press slice blocks into the bottoms of the L-form block notches and presses upon the seal plug ; there is a hole for air inlet on the press slice; on the outside of the cylinder opening there is a tunable tube pusher which could be used for pushing the press slice to turn ; the described tube pusher is connected to the confetti tube.
2. The confetti air projector of claim 1, wherein the central part of the press slice is round, on both sides of which there is respectively an "ear" part, and the end of each "ear" part stretches out of the bottom of the L-form block notch ; the above described air inlet lies in the middle of the press slice ; there is respectively a longitudinal poker either side of each "ear" part end ; each poker is formed by the central part of the side wall of the tube pusher being turned over into the inside of the tube.
3. The confetti air projector of claim 2, wherein one "ear" part of the above described press slice is linked to the inner wall of the described confetti tube by an elastic linking string.
4. The confetti air projector of claim 1, 2 or 3, wherein the articles used for producing the described confetti include colorful plastic film rolls.
5. The confetti air projector of claim 4, wherein the described plastic film rolls would look like continual flags when they are spread out.

6. The confetti air projector of claim 1, 2, or 3, wherein the articles used for producing the described confetti include colorful membrane parachutes.
7. The confetti air projector of claim 1, 2, or 3, wherein the articles used for producing the described confetti include colorful paper pieces.
8. The confetti air projector of claim 7, wherein the described colorful paper pieces are in a pentagram form.
9. The confetti air projector of claim 7, wherein the described colorful paper pieces are in a plum blossom form.
10. The confetti air projector of claim 1, 2, or 3, wherein the articles used for producing the described confetti include colorful paper rings.

20

25

30

35

40

45

50

55




Figure 1




Figure 2




Figure 3

Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10

INTERNATIONAL SEARCH REPORT

International application No.

PCT/CN00/00070

A. CLASSIFICATION OF SUBJECT MATTER

IPC⁷ A63H37/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC⁷ A63H37/00, 33/18, 33/30, 33/42

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Chinese patent

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

EPOQUE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

| Category* | Citation of document, with indication, where appropriate, of the relevant passages | Relevant to claim No. |
|-----------|--|-----------------------|
| A | US.A.5634840 (Watkins) 3.Jun. 1997 (03.06.97) | 1 - 10 |
| A | US.A.5529527 (Watkins) 25.Jun. 1996 (25.06.96) | 1 - 10 |
| A | US.A.5338242 (Cheng) 16.Aug. 1994 (16.08.94) | 1 - 10 |
| A | US.A.5620355 (Watkins) 15.Apr. 1997 (15.04.97) | 1 - 10 |
| A | US.A.5149290 (Reveen) 22.Sep. 1992 (22.09.92) | 1 - 10 |
| A | CN.Y.2259932 (TENG,Haidong) 20.Aug. 1997 (20.08.97) | 1 - 10 |
| A | CN.Y.2252656 (Ji,Yong) 23.Apr. 1997 (23.04.97) | 1 - 10 |

☐ Further documents are listed in the continuation of Box C. ☒ See patent family annex.

- * Special categories of cited documents:
- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier application or patent but published on or after the international filing date
- "L" document which may throw doubts on priority claim (S) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed
- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
- "&" document member of the same patent family

Date of the actual completion of the international search
29.May. 2000 (29.05.00)

Date of mailing of the international search report
08 JUN 2000 (08.06.00)

Name and mailing address of the ISA/CN
6 Xitucheng Rd., Jimen Bridge, Haidian District,
100088 Beijing, China
Facsimile No. 86-10-62019451

Authorized officer

Gong Jianhua

Telephone No.



Form PCT/ISA /210 (second sheet) (July 1998)

INTERNATIONAL SEARCH REPORT
 Information on patent family members

 International application No.
 PCT/CN00/00070

| Patent document cited in search report | Publication date | Patent family Member (s) | Publication date |
|---|---------------------|-------------------------------|---------------------|
| US,A,5634840 | 03.06.97 | US,A,5772491 | 30.06.98 |
| US,A,5529527 | 25.06.96 | WO,A,9425131 | 10.11.94 |
| | | AU,A,6774394 | 21.11.94 |
| | | EPA,1,0695208 | 07.02.96 |
| US,A,5338242 | 16.08.94 | DE,A,4426359 | 20.04.95 |
| | | CA,A,2128455 | 20.04.95 |
| | | GB,A,2283003 | 26.04.95 |
| | | CN,A,1103600 | 14.06.95 |
| | | JP,A,7178255 | 18.07.95 |
| | | US,A,5433644 | 18.07.95 |
| US,A,5620355 | 15.04.97 | US,A,5352148 | 04.10.94 |
| | | US,A,5403225 | 04.04.95 |
| | | US,A,5419731 | 30.05.95 |
| | | US,A,5507680 | 16.04.96 |
| | | US,A,5531628 | 02.07.96 |
| | | US,A,5556319 | 17.09.96 |
| | | US,A,5620355 | 15.04.97 |
| | | US,A,5624295 | 29.04.97 |
| | | US,A,5643042 | 01.07.97 |
| | | US,A,5823850 | 20.10.98 |
| US,A,5149290 | 22.09.92 | US,A,5015211 | 14.05.91 |
| CN,Y,2259932 | 20.08.97 | None | |
| CN,Y,2252656 | 23.04.97 | None | |

Form PCT/ISA /210 (patent family annex) (July 1998)

THIS PAGE BLANK (USPTO)